Product information

HEL steel braided hose, custom-made, 4-piece set, TEE-ELBOW, with parts certificate

Art.Nr.: HEL-EL-4-TE

215,00CHF / pcs.

incl. 8,1% VAT plus 12,00CHF DHL-Shipping

Ready for dispatch within 1–2 working days. Delivery time approx. 3–5 working days!



Product information

HEL-Performance Stainless Steel Braided Hose!
Custom-made to your specifications!

NEW: You now have the option to upload a drawing or sketch directly. Simply proceed to checkout from your shopping cart and upload a file. This is optional. Otherwise, feel free to send us the information via email.



Design: Stainless steel-sheathed PTFE hose, custom-made to your specifications! <u>Comes with a parts certificate!</u>

Whether you need the hose for a vehicle, a machine, or another application, we'll manufacture the perfect hose exactly to your specifications.

For use on motor vehicles, you will receive a DEKRA parts certificate.
An installation inspection may be required.

When placing your order, please specify the desired cable color, the connector type, and any necessary mounts, as well as the key numbers for 2.1 and 2.2, or the HSN / TSN from the vehicle registration certificate and, to be on the safe side, also the vehicle data (make, model, type, year of manufacture) .

You have 14 cable colors to choose from at no extra charge:

Product information

Transparent, Carbon Look, Black, White,

Gold Look, Red-Transparent, Red, Orange,

Yellow, Green, Blue-Transparent, Blue,

Transparent-Purple, Pink

Additional colors are available upon request. Please contact us with your color preference.



Banjo connector / ring eye

H692-03C-xx = straight
H693-03C-xx = 20° angled
H693-03C-xx-RB = 20° downward / 20° right-angled
H693-03C-xx-LB = 20° downward / 20° left-bent
H694-03C-xx = 45° bent
H697-03C-xx = 70° bent
H699-03C-xx = 90° bent
H695-03C-xx = 20° bent sideways
H699-03C-xx-EXT = 90° bent sideways, long shank

Simply replace -xx with the corresponding size: 10, 11, 12, 08, and 06 mm.
Example: H692-03C-10 = 10 mm, straight

Product information

external thread, adjustable screw

with double sealing cone: convex (outer cone) / concave (inner cone); (for 3/8" UNF, concave only). Can also be supplied angled, bent up to 90°. Simply let us know the required angle.

H652-xxC = straight
H673-xxC = 45° bent
H674-xxC = 90° bent

Simply replace -xx with the corresponding thread size
-03 = 3/8" x 24 UNF
-18 = 1/8" x 28 BSP
-31 = M10 x 1.00
-32 = M10 x 1.25

E

internal thread, floating nut

with double sealing cone: convex (outer cone) / concave (inner cone) (for 3/8" UNF, only concave; for 1/8", only convex). M10x1.00 and x1.25 can also be supplied in angled versions, bent up to 90°. Simply let us know the required angle. SW 13

H650-xxC = straight
H653-xxC = bent at 45°

Product information

H654-xxC = 90° bent

Simply replace -xx with the corresponding thread size
-03 = 3/8" x 24 UNF
-18 = 1/8" x 28 BSP (H650 only)
-31 = M10 x 1.00
-32 = M10 x 1.25

Example: H650-31C = M10 x 1.00, straight

internal thread, sliding nut, with NUT

with double sealing cone: convex (outer cone) / concave (inner cone); (for 3/8" UNF, concave only).
M10x1.00 and x1.25 can also be supplied in angled versions, bent up to 90°. Simply let us know the required angle. SW 17

H663-xxC = straight
H663-xxC-45 = bent at 45°
H663-xxC-90 = bent at 90°

Simply replace -xx with the corresponding thread size
-03 = 3/8" x 24 UNF
-31 = M10 x 1.00
-32 = M10 x 1.25

Example: H663-31C = M10 x 1.00, straight

I pped

Internal thread, movable nut, stepped, with GROOVE

with double sealing cone: convex (outer cone) / concave (inner cone),
Can also be supplied bent at angles up to 90°. Simply let us know the required angle. SW 17

H675-31C = straight
H675-31C-45 = bent at 45°

Product information

H675-31C-90 = bent 90°

Internal thread, movable nut, double-stepped, with NUT

with double sealing cone: convex (outer cone) / concave (inner cone), SW 17

H663-31C-VAG = straight, double-stepped

External thread, fixed

with double sealing cone: convex (outer cone) / concave (inner cone), (for 3/8" UNF, concave only), and sealing surface for copper sealing ring!
SW17

H657-xxC = straight
H658-xxC = straight, extra long
H659-03C = 3/8", straight, long
H669-31C = M10x1.00, straight, long
H669-32C = M10x1.25, straight, long

Simply replace -xx with the corresponding thread size
-03 = 3/8" x 24 UNF
-31 = M10 x 1.00
-32 = M10 x 1.25

Example: H657-31C = M10x1.00, straight

Product information



internal thread, fixed

with sealing cone, SW17

H660-31C = straight, concave

H660-31C-SQUARE = straight, concave

Product information



Hose Grips / Holders

GROMMET, rubber, black

HLL-001, plastic, black

HLL-002, plastic, black

HLL-003, plastic, black

HLL-004, plastic, black

HLL-005, plastic, black

HLL-006, plastic, black

HLL-007, rubber, black

Product information

You can find Stahllflex wiring kits for many vehicle models and configurations at
and on our website motorrad.helperformance.de(please click on the link)

For many models, we offer various routing options:

OEM, like the original (standard kit):
The brake lines match an original replacement part in length, number, and routing.

Alternatively, Full Length:
Two lines routed directly from the brake master cylinder—one to the right and one to the left—to the brake calipers.

Alternatively, Over the Mudguard:
One line runs directly from the brake master cylinder to the right brake caliper; the second runs from there over the mudguard to the left brake caliper.

HEL Performance is (to the best of our knowledge) **currently the only manufacturer that has an ABE certification for hose kits using this so-called "alternative routing method." Beware of mislabeledhoses that lack ABE certification. Your safety is at stake!**
Tip: Request the corresponding ABEfor the hose kit, including the scope of application!

HEL Performance Stainless Steel Flexible Brake Line

- eliminates the spongy feeling in the brake lever/pedal
- more direct and precise braking response
- No line expansion at high temperatures
- Lower maintenance costs for the braking system
- Motorsport-proven technology
- Stainless steel fittings and hollow screws
- Stainless steel-sheathed Teflon lines
- Excellent abrasion resistance and corrosion protection
- Genuine HEL quality, as used in MotoGP, WSKB, BSB, and the IDM!

The fine line between victory and defeat

Every kilometer of a racetrack highlights just how important a well-balanced braking system is. Perfect control gives you the confidence you need, because the difference between a good rider and an average one is that one has speed under control, while the other does not. That's why here at HEL Performance we manufacture the best brake lines, giving you the control you need for peak performance.

Every HEL Performance line is assembled in-house using the best stainless steel fittings and then crimped.

With us, you'll find the right brake line kit for your vehicle and get exactly what you expect: high-quality materials, excellent performance, and visually stunning brake lines.

HEL brake lines eliminate the spongy feel associated with rubber lines.

We use only stainless steel components for all parts of our lines—unlike other manufacturers who use steel fittings that rust over time and pose a safety risk.

HEL Performance - Always No. 1 - What's Stopping You?

What's Included:
Stainless steel-braided brake lines with stainless steel fittings Parts certification (Please specify vehicle type (HSN / TSN))

Note: The photos shown are for illustrative purposes only and do not depict the brake line kit for the specified vehicle! When placing your order, you have the option to specify your desired hose color. The lines will then be custom-made "fresh" for you according to your preferences and specifications!

available options

BLK color hose

Product information

Transparent

Carbon look


Black

Red


Transp. red

Orange

Blue

Transparent blue

Kawa-Green

Yellow

Pink

Transp. purple

White

BLK color fitting

Stainless steel (natural)

Stainless steel black

Stainless steel red

Stainless steel blue

Stainless steel gold

Stainless steel green

Stainless steel purple

BLK Stealth

Product information

Without

Stealth (+2,30CHF)

Guide - Locator 1

GROMMET (+1,20CHF)

2 x GROMMET (+2,40CHF)

3 x GROMMET (+3,50CHF)

2 x HLL-007 + 2 x GROMMET (+9,30CHF)

No thanks, no holder!

Banjo bolt for customization

1 x HS-M10x1.00 (+4,60CHF)

1 x HS-M10x1.25 (+4,60CHF)

3 x HS-M10x1.00 (+13,70CHF)

3 x HS-M10x1.25 (+13,70CHF)

1 x HS-M10x1.00 and 2 x HS-M10x1.25 (+13,70CHF)

1 x HS-M10x1.25 and 2 x HS-M10x1.00 (+13,70CHF)

1 x HS-M10x1.00 and 2 x HSENTL-M10x1.00 (+41,50CHF)

No thanks

Vehicle Information:

Product information

Vehicle data / exact length: