

Product information



DASH-04 HEL steel-braided hose, custom-made


Art.Nr.: HEL-EL-1-DASH-04



65,00CHF / pcs.

incl. 8,1% VAT plus 12,00CHF DHL-Shipping

🟢 Ready for dispatch within 1-2 working days. Delivery time approx. 3-5 working days!



Product information



HEL-Performance Stainless Steel Flexible Hose!

!!!! Size DASH-04 !!!!

Custom-made according to your specifications!

Hose inner diameter: approx. 5.0 mm

Hose outer diameter: approx. 9.3 mm

Inner diameter at the connection: approx. 3.35 mm


Design: Stainless steel-sheathed PTFE hose, custom-made to your specifications! No parts certification available!

Whether you need the hose for a vehicle, a machine, or another application, we'll manufacture the perfect hose exactly to your specifications.

We do NOT have a parts certificate for these hoses. The hoses are NOT to be used as brake lines.

When ordering, please specify the desired hose color and the connection type .

Hose color: available only with transparent steel braided sheath



Banjo fitting / ring eye (available only in 8 mm, 10 mm, 11 mm, and 12 mm ring diameters)

Product information



H692-04C-xx = straight

Simply replace -xx with the corresponding size: 10, 11, 12, or 08 mm.

Example: H692-04C-10 = 10 mm, straight



External thread, adjustable screw

with double sealing cone: convex (outer cone) / concave (inner cone),

H652-04C = straight 7/16"x20 UNF

/

uest!



Internal thread, movable nut

with double-seal cones: convex (outer cone) / concave (inner cone) (for 3/8" UNF, only concave; for 1/8", only convex). M10x1.00 and x1.25 can also be supplied as angled, bent up to 90°. Simply let us know the required angle. SW 13

H650-04-121C = M12x1.00, straight

H650-04-122C = M12x1.25, straight

H650-04-125C = M12x1.50, straight

/

request!



Product information



Male thread, fixed

with double sealing cone: convex (outer cone) / concave (inner cone) (for 3/8" UNF, concave only), and sealing surface for copper O-ring! SW17

H657-04-31C = M10x1.00, straight
H657-04C = 7/16"x20 UNF, straight
H659-04C = 7/16"x20 UNF, straight

We use only stainless steel components for all parts of our lines—unlike other manufacturers who use steel fittings that rust over time and pose a safety hazard.


HEL Performance - Always No. 1 - What's Stopping You?

Scope of Delivery:

Stainless steel-clad lines with stainless steel fittings
; inner diameter of the fitting/connector shaft = approx. 3.5 mm

available options

BLK color hose



EL length

EL - 12 cm	EL - 13 cm	EL - 14 cm	EL - 15 cm	EL - 16 cm	EL - 17 cm
EL - 18 cm	EL - 19 cm	EL - 20 cm	EL - 21 cm	EL - 22 cm	EL - 23 cm
EL - 24 cm	EL - 25 cm	EL - 26 cm	EL - 27 cm	EL - 28 cm	EL - 29 cm
EL - 30 cm	EL - 31 cm	EL - 32 cm	EL - 33 cm	EL - 34 cm	EL - 35 cm
EL - 36 cm	EL - 37 cm	EL - 38 cm	EL - 39 cm	EL - 40 cm	EL - 41 cm
EL - 42 cm	EL - 43 cm	EL - 44 cm	EL - 45 cm	EL - 46 cm	EL - 47 cm
EL - 48 cm	EL - 49 cm	EL - 50 cm	EL - 52 cm	EL - 54 cm	EL - 56 cm
EL - 58 cm	EL - 60 cm	EL - 62 cm	EL - 64 cm	EL - 66 cm	EL - 68 cm
EL - 70 cm	EL - 72 cm	EL - 74 cm	EL - 76 cm	EL - 78 cm	EL - 80 cm

Product information



EL - 82 cm	EL - 84 cm				
EL - 94 cm	EL - 96 cm	EL - 98 cm	EL - 100 cm	EL - 105 cm (+7,00CHF)	EL - 110 cm (+7,00CHF)
EL - 115 cm (+7,00CHF)	EL - 120 cm (+7,00CHF)	EL - 125 cm (+7,00CHF)	EL - 130 cm (+13,90CHF)	EL - 135 cm (+13,90CHF)	EL - 140 cm (+13,90CHF)
EL - 145 cm (+13,90CHF)	EL - 150 cm (+13,90CHF)	 EL - 155 cm (+20,80CHF)	EL - 160 cm (+20,80CHF)	EL - 165 cm (+20,80CHF)	EL - 170 cm (+20,80CHF)
EL - 175 cm (+27,70CHF)	EL - 180 cm (+27,70CHF)		EL - 190 cm (+27,70CHF)	EL - 195 cm (+27,70CHF)	EL - 200 cm (+27,70CHF)
EL - 210 cm (+34,60CHF)	EL - 220 cm (+34,60CHF)	EL - 230 cm (+34,60CHF)	EL - 240 cm (+34,60CHF)	EL - 250 cm (+34,60CHF)	EL - 260 cm (+41,50CHF)
EL - 270 cm (+41,50CHF)	EL - 280 cm (+41,50CHF)	EL - 290 cm (+41,50CHF)	EL - 300 cm (+41,50CHF)	EL - 310 cm (+48,40CHF)	EL - 320 cm (+48,40CHF)
EL - 330 cm (+55,30CHF)	EL - 340 cm (+55,30CHF)	EL - 350 cm (+55,30CHF)	EL - 360 cm (+69,10CHF)	EL - 370 cm (+69,10CHF)	EL - 380 cm (+76,00CHF)
EL - 390 cm (+76,00CHF)	EL - 400 cm (+76,00CHF)	EL - 410 cm (+82,90CHF)	EL - 420 cm (+82,90CHF)	EL - 430 cm (+89,80CHF)	EL - 440 cm (+89,80CHF)
EL - 450 cm (+89,80CHF)	EL - 460 cm (+96,70CHF)	EL - 470 cm (+96,70CHF)	EL - 480 cm (+103,60CHF)	EL - 490 cm (+103,60CHF)	EL - 500 cm (+103,60CHF)
EL - 520 cm (+110,50CHF)	EL - 540 cm (+110,50CHF)	EL - 560 cm (+117,40CHF)	EL - 580 cm (+117,40CHF)	EL - 600 cm (+117,40CHF)	

EL-Fitting-04-A

H692-04-10C-Banjo/ring 10mm
 H692-04-11C-Banjo/ring 11mm
 H692-04-12C-Banjo/ring 12mm
 H692-04-08C-Banjo/ring 8mm
 H650-04-121 Internal thread M12x1.00
 H650-04-122 Internal thread M12x1.25
 H650-04-125 Internal thread M12x1.50
 H652-04C External thread 7/16 "x20UNF
 H657-04-31 External thread fixed, M10x1.00
 H657-04C External thread, 7/16 "x20UNF
 H659-04C External thread, 7/16 "x20UNF

Product information



EL-Fitting-04-B

H692-04-10C-Banjo/ring 10mm
H692-04-11C-Banjo/ring 11mm
H692-04-12C-Banjo/ring 12mm
H692-04-08C-Banjo/ring 8mm
H650-04-121 Internal thread M12x1.00
H650-04-122 Internal thread M12x1.25
H650-04-125 Internal thread M12x1.50
H652-04C External thread 7/16 "x20UNF
H657-04-31 External thread fixed, M10x1.00
H657-04C External thread, 7/16 "x20UNF
H659-04C External thread, 7/16 "x20UNF

BLK Stealth



Without



Stealth (+2,30CHF)

Vehicle Information:

Vehicle data / exact length: